

WHAT IS CLAIMED IS:

1. An information filtering apparatus, comprising:
information indicating means for indicating pieces of
learning information;
5 learning information control means for receiving a
plurality of teaching signals respectively indicating whether
one piece of learning information indicated by the information
indicating means is necessary or unnecessary and generating
pieces of teaching data respectively composed of one piece of
10 learning information and one teaching signal corresponding to
the piece of learning information;
learning means for performing a learning operation for each
of the pieces of teaching data generated by the learning
information control means to produce records indicating
15 whether each piece of learning information indicated by the
information indicating means is judged to be necessary or
unnecessary; and
information filtering means for filtering pieces of
information data according to the records produced by the
20 learning means to arrange the pieces of information data in
order of necessity.
2. An information filtering apparatus according to claim 1
in which
25 the learning means comprises metric signal calculating means

for calculating a metric signal, indicating the records about the learning information judged to be necessary or unnecessary, from the pieces of teaching data, and the information filtering means comprises

5 vector generating means for generating a vector signal, which is composed of one or more codes corresponding to one or more keywords attached to one piece of information data, for each of the pieces of information data;

score calculating means for calculating a score signal from
10 the vector signal generated by the vector generating means and the metric signal calculated by the metric signal calculating means for each of the pieces of information data on condition that a value of each score signal becomes high as the number of keywords which are attached to one piece of information
15 data and agree with those attached to the pieces of learning information judged to be necessary or unnecessary is increased; and

information data writing control means for arranging the pieces of information data in order of necessity according to
20 the score signals calculated by the score calculating means.

3. An information filtering apparatus according to claim 1 in which the learning means comprises

affirmative metric signal calculating means for calculating
25 an affirmative metric signal indicating the records about the

pieces of learning information judged to be necessary from the pieces of teaching data respectively composed of one piece of learning information and one teaching signal indicating that the piece of learning information is necessary; and

5 negative metric signal calculating means for calculating a negative metric signal indicating the records about the pieces of learning information judged to be unnecessary from the pieces of teaching data respectively composed of one piece of learning information and one teaching signal indicating that
10 the piece of learning information is unnecessary, and
 the information filtering means comprises

 vector generating means for generating a vector signal, which is composed of one or more codes corresponding to one or more keywords attached to one piece of information data, for
15 each of the pieces of information data;

 affirmative score signal calculating means for calculating an affirmative score signal from the vector signal generated by the vector generating means and the affirmative metric signal calculated by the affirmative metric signal calculating
20 means for each of the pieces of information data on condition that a value of each affirmative score signal becomes high as the number of keywords which are attached to one piece of information data and agree with those attached to the pieces of learning information judged to be necessary is increased;

25 negative score signal calculating means for calculating a

negative score signal from the vector signal generated by the
vector generating means and the negative metric signal
calculated by the negative metric signal calculating means for
each of the pieces of information data on condition that a
5 value of each negative score signal becomes high as the number
of keywords which are attached to one piece of information
data and agree with those attached to the pieces of learning
information judged to be unnecessary is increased; and

information data writing control means for arranging the
10 pieces of information data in order of necessity according to
the affirmative score signals calculated by the affirmative
score signal calculating means and the negative score signals
calculated by the negative score signal calculating means.

15 4. An information filtering apparatus according to claim 3
in which the learning means further comprises learning vector
generating means for generating a learning vector signal,
which is composed of one or more codes corresponding to one or
more keywords attached to one piece of learning information,
20 for each of the pieces of learning information,

the affirmative metric signal calculated by the affirmative
metric signal calculating means is an auto-correlation matrix
of the learning vector signal generated by the learning vector
generating means in cases where one piece of learning
25 information corresponding to the learning vector signal is

judged to be necessary, and

the negative metric signal calculated by the negative metric signal calculating means is an auto-correlation matrix of the learning vector signal generated by the learning vector

5 generating means in cases where one piece of learning information corresponding to the learning vector signal is judged to be unnecessary.

5. An information filtering apparatus according to claim 3
10 in which the affirmative metric signal calculated by the affirmative metric signal calculating means is a matrix composed of a plurality of (i,j) elements and each (i,j) element of the affirmative metric signal is calculated from a frequency of the pieces of learning information judged to be
15 necessary and another frequency of the pieces of learning information, judged to be necessary, to which an i -th keyword and a j -th keyword stored in a dictionary storing unit are attached together, and the negative metric signal calculated by the negative metric signal calculating means is a matrix
20 composed of (i,j) elements and each (i,j) element of the affirmative metric signal is calculated from a frequency of the pieces of learning information judged to be unnecessary and another frequency of the pieces of learning information, judged to be unnecessary, to which an i -th keyword and a j -th
25 keyword stored in the dictionary storing unit are attached

together.

6. An information filtering apparatus according to claim 5
in which each (i,j) element of the affirmative metric signal
5 is determined by quantitatively estimating a difference
between a probability that one piece of learning information
is judged to be necessary and a probability that one piece of
learning information to which an i-th keyword and a j-th
keyword stored in a dictionary storing unit are attached
10 together is judged to be necessary, and each (i,j) element of
the negative metric signal is determined by quantitatively
estimating a difference between a probability that one piece
of learning information is judged to be unnecessary and a
probability that one piece of learning information to which an
15 i-th keyword and a j-th keyword stored in the dictionary
storing unit are attached together is judged to be
unnecessary.

7. An information filtering apparatus according to claim 1
20 in which the learning means comprises
learning vector generating means for generating a learning
vector signal, which is composed of one or more codes
corresponding to one or more keywords attached to one piece of
learning information, for each of the pieces of learning
25 information;

affirmative metric signal calculating means for calculating
an affirmative metric signal indicating the records about the
pieces of learning information judged to be necessary from the
pieces of teaching data respectively composed of one piece of
5 learning information and one teaching signal indicating that
the piece of learning information is necessary;

negative metric signal calculating means for calculating a
negative metric signal indicating the records about the pieces
of learning information judged to be unnecessary from the
10 pieces of teaching data respectively composed of one piece of
learning information and one teaching signal indicating that
the piece of learning information is unnecessary;

learning affirmative score signal calculating means for
calculating a learning affirmative score signal from the
15 learning vector signal generated by the learning vector
generating means and the affirmative metric signal calculated
by the affirmative metric signal calculating means for each of
the pieces of learning information on condition that a value
of each learning affirmative score signal becomes high as the
20 number of keywords which are attached to one piece of learning
information and agree with those attached to the pieces of
learning information judged to be necessary is increased;

learning negative score signal calculating means for
calculating a learning negative score signal from the learning
25 vector signal generated by the learning vector generating

means and the negative metric signal calculated by the
negative metric signal calculating means for each of the
pieces of learning information on condition that a value of
each learning negative score signal becomes high as the number
5 of keywords which are attached to one piece of learning
information and agree with those attached to the pieces of
learning information judged to be unnecessary is increased;
and

judging parameter learning means for arranging a set of a
10 value LSY of the learning affirmative score signal calculated
by the learning affirmative score signal calculating means and
a value LSN of the learning negative score signal calculated
by the learning negative score signal calculating means at
coordinates (LSN, LSY) of a two-dimensional co-ordinate system
15 for each of the pieces of learning information and calculating
a judging parameter indicating an inclination of a boundary
line which separates one or more sets corresponding to one or
more pieces of learning information judged to be necessary
from one or more sets corresponding to one or more pieces of
20 learning information judged to be unnecessary, and
the information filtering means comprises

vector generating means for generating a vector signal,
which is composed of one or more codes corresponding to one or
more keywords attached to one piece of information data, for
25 each of the pieces of information data;

affirmative score signal calculating means for calculating
an affirmative score signal from the vector signal generated
by the vector generating means and the affirmative metric
signal calculated by the affirmative metric signal calculating
5 means for each of the pieces of information data on condition
that a value of each affirmative score signal becomes high as
the number of keywords which are attached to one piece of
information data and agree with those attached to the pieces
of learning information judged to be necessary is increased;
10 negative score signal calculating means for calculating a
negative score signal from the vector signal generated by the
vector generating means and the negative metric signal
calculated by the negative metric signal calculating means for
each of the pieces of information data on condition that a
15 value of each negative score signal becomes high as the number
of keywords which are attached to one piece of information
data and agree with those attached to the pieces of learning
information judged to be unnecessary is increased;
necessity calculating means for calculating a necessity
20 degree of one piece of information data from the affirmative
score signal calculated by the affirmative score signal
calculating means, the negative score signal calculated by the
negative score signal calculating means and the judging
parameter calculated by the judging parameter learning means;
25 and

information data writing control means for arranging the pieces of information data in order of necessity according to the necessity degrees of the pieces of information data calculated by the necessity calculating means.

5

8. An information filtering apparatus according to claim 7, further comprising unread data storing means for storing the pieces of information data arranged in order of necessity by the information data writing control means, and

10 the learning information control means comprises unread data output controlling means for controlling the output of the pieces of information data stored in the unread data storing means for the information indicating means to preferentially indicate one or more pieces of information data having a high
15 necessary degree.

9. An information filtering apparatus according to claim 1, further comprising:

dictionary storing means for storing a plurality of code
20 dictionary signals respectively composed of a character stream and a numeral;

adaptive dictionary storing means for storing a plurality of adaptive code dictionary signals respectively composed of a character stream, a numeral, an affirmative number indicating
25 the number of affirmative judgements which each are performed

when a piece of learning information used for the learning operation in the learning means is necessary on condition that the character stream is attached to the piece of information data as a keyword and a negative number indicating the number of negative judgements which each are performed when a piece of learning information used for the learning operation in the learning means is unnecessary on condition that the character stream is attached to the piece of information data as a keyword;

10 response number storing means for counting and storing an affirmative response number indicating the number of affirmative responses which each are performed when a piece of learning information used for the learning operation in the learning means is necessary and a negative response number indicating the number of negative responses which each are performed when a piece of learning information used for the learning operation in the learning means is unnecessary; and

dictionary learning means for generating a keyword cost signal from the affirmative number and the negative number stored in the adaptive dictionary storing means and the affirmative response number and the negative response number stored in the response number storing means for each of character streams, arranging the adaptive code dictionary signals stored in the adaptive dictionary storing means in order of magnitude of the keyword cost signals and replacing

the code dictionary signals stored in the dictionary storing means with a plurality of sets of character streams and numerals included in the adaptive code dictionary signals in that order.

5

10. An information filtering apparatus according to claim 9 in which the keyword cost signal generated by the dictionary learning means for a character stream is determined by quantitatively estimating a difference between a probability that a piece of learning information is necessary and a probability that a piece of learning information to which the character stream is attached as a keyword is necessary and another difference between a probability that a piece of learning information is unnecessary and a probability that a piece of learning information to which the character stream is attached as a keyword is unnecessary.

11. An information filtering apparatus according to claim 9 in which the keyword cost signal generated by the dictionary learning means for a character stream is determined on condition that a value of the keyword cost signal is increased as a difference between a probability that a piece of learning information is necessary and a probability that a piece of learning information to which the character stream is attached as a keyword is necessary is enlarged and another difference

between a probability that a piece of learning information is unnecessary and a probability that a piece of learning information to which the character stream is attached as a keyword is unnecessary is enlarged.

5

12. An information filtering apparatus according to claim 1, in which one keyword which is attached to one piece of learning information indicated by the information indicating means or is attached to one piece of information data filtered
10 by the information filtering means is a classification code.

13. An information filtering apparatus according to claim 1, further comprising:

an original data base for storing pieces of data;

15 original data base reading-out means for reading out the pieces of data from the original data base to reconstruct the pieces of data in order of necessity in the information filtering means;

adaptive data base writing unit for temporarily holding the
20 pieces of data reconstructed in the information filtering means as pieces of adaptive data; and

an adaptive data base for storing the pieces of adaptive data held in the adaptive data base writing unit.

25 14. An information filtering apparatus according to claim 9,

further comprising:

one-order metric signal storing means for storing a one-order metric signal calculated from each of the adaptive code dictionary signals in the dictionary learning means;

- 5 keyword estimating means for calculating a necessary information occurrence ratio denoting a ratio of the number of pieces of learning information judged to be necessary to the number of all pieces of learning information and an unnecessary information occurrence ratio denoting a ratio of
- 10 the number of pieces of learning information judged to be unnecessary to the number of all pieces of learning information from the affirmative response number and the negative response number stored in the response number storing means for each of character streams, calculating an
- 15 affirmative keyword occurrence probability denoting a probability that a character stream is attached to a piece of learning information judged to be necessary as a keyword and a negative keyword occurrence probability denoting a probability that a character stream is attached to a piece of learning
- 20 information judged to be unnecessary as a keyword for each of character streams from the one-order metric signal stored in the one-order metric signal storing means, calculating an affirmative deviation signal denoting a difference between the necessary information occurrence ratio and the affirmative
- 25 keyword occurrence probability for each of character streams

and a negative deviation signal denoting a difference between the unnecessary information occurrence ratio and the negative keyword occurrence probability for each of character streams, and calculating a keyword estimating signal from the

5 affirmative deviation signal and the negative deviation signal for each of character streams;

keyword estimating signal sorting means for sorting the keyword estimating signals calculated by the keyword estimating means to produce a plurality of sorted keyword

10 estimating signals; and

keyword retrieval equation generating means for determining a character stream corresponding to each of the sorted keyword estimating signals as a keyword defined in a term of a keyword retrieval equation and outputting the keyword

15 retrieval equation composed of a plurality of keywords.

15. An information filtering apparatus according to claim 14 in which

the one-order metric signal storing means comprises

20 one-order affirmative metric signal storing means for storing a one-order affirmative metric signal calculated from one affirmative number or numeral of each of the adaptive code dictionary signals; and

one-order negative metric signal storing means for storing

25 a one-order negative metric signal calculated from one

negative number or numeral of each of the adaptive code
dictionary signals, the affirmative keyword occurrence
probability and the negative keyword occurrence probability
being respectively calculated from the one-order affirmative
5 metric signal and the one-order negative metric signal in the
keyword estimating means.

16. An information filtering apparatus according to claim 14
in which the affirmative deviation signal calculated by the
10 keyword estimating means for a character stream becomes a
negative low value as the character stream is one-sidedly
attached to learning information judged to be necessary, and
the negative deviation signal calculated by the keyword
estimating means for a character stream becomes a negative low
15 value as the character stream is one-sidedly attached to
learning information judged to be unnecessary.

17. An information filtering method, comprising the steps
of:

20 indicating pieces of learning information on an indicating
unit;

receiving a plurality of teaching signals respectively
indicating whether one piece of learning information indicated
on the indicating unit is necessary or unnecessary;

25 generating pieces of teaching data respectively composed of

one piece of learning information and one teaching signal
corresponding to the piece of learning information;

performing a learning operation for each of the pieces of
teaching data to produce records indicating whether each piece
5 of learning information indicated by the information

indicating means is judged to be necessary or unnecessary; and

filtering pieces of information data according to the
records to arrange the pieces of information data in order of
necessity.

10

18. An information filtering method according to claim 17 in
which the step of performing a learning operation comprises
the step of:

calculating a metric signal, indicating the records about
15 the learning information judged to be necessary or
unnecessary, from the pieces of teaching data, and

the step of filtering pieces of information data comprises
the steps of:

generating a vector signal, which is composed of one or
20 more codes corresponding to one or more keywords attached to
one piece of information data, for each of the pieces of
information data;

calculating a score signal from the vector signal and the
metric signal for each of the pieces of information data on
25 condition that a value of each score signal becomes high as

the number of keywords which are attached to one piece of information data and agree with those attached to the pieces of learning information judged to be necessary or unnecessary is increased; and

- 5 arranging the pieces of information data in order of necessity according to the score signals.

19. An information filtering method according to claim 17 in which the step of performing a learning operation comprises
10 the steps of:

 calculating an affirmative metric signal indicating the records about the pieces of learning information judged to be necessary from the pieces of teaching data respectively composed of one piece of learning information and one teaching
15 signal indicating that the piece of learning information is necessary; and

 calculating a negative metric signal indicating the records about the pieces of learning information judged to be unnecessary from the pieces of teaching data respectively
20 composed of one piece of learning information and one teaching signal indicating that the piece of learning information is unnecessary, and

 the step of filtering pieces of information data comprises the steps of:

- 25 generating a vector signal, which is composed of one or

more codes corresponding to one or more keywords attached to one piece of information data, for each of the pieces of information data;

calculating an affirmative score signal from the vector
5 signal and the affirmative metric signal for each of the pieces of information data on condition that a value of each affirmative score signal becomes high as the number of keywords which are attached to one piece of information data and agree with those attached to the pieces of learning
10 information judged to be necessary is increased;

calculating a negative score signal from the vector signal and the negative metric signal for each of the pieces of information data on condition that a value of each negative score signal becomes high as the number of keywords which are
15 attached to one piece of information data and agree with those attached to the pieces of learning information judged to be unnecessary is increased; and

arranging the pieces of information data in order of necessity according to the affirmative score signals and the
20 negative score signals.

20. An information filtering method according to claim 19 in which the step of performing a learning operation further comprises the steps of:

25 generating a learning vector signal, which is composed of

one or more codes corresponding to one or more keywords
attached to one piece of learning information, for each of the
pieces of learning information,

setting an auto-correlation matrix of the learning vector
5 signal as the affirmative metric signal in cases where one
piece of learning information corresponding to the learning
vector signal is judged to be necessary, and

setting an auto-correlation matrix of the learning vector
signal as the negative metric signal in cases where one piece
10 of learning information corresponding to the learning vector
is judged to be unnecessary.

21. An information filtering method according to claim 19 in
which the step of calculating an affirmative metric signal
15 comprises the steps of:

forming the affirmative metric signal as a matrix composed
of a plurality of (i,j) elements; and

calculating each (i,j) element of the affirmative metric
signal from a frequency of the pieces of learning information
20 judged to be necessary and another frequency of the pieces of
learning information, judged to be necessary, to which an i -th
keyword and a j -th keyword stored in a dictionary storing unit
are attached together, and

the step of calculating a negative metric signal comprises
25 the steps of:

forming calculating a negative metric signal as a matrix composed of a plurality of (i,j) elements; and

calculating each (i,j) element of the affirmative metric signal from a frequency of the pieces of learning information judged to be unnecessary and another frequency of the pieces of learning information, judged to be unnecessary, to which an i-th keyword and a j-th keyword stored in the dictionary storing unit are attached together.

10 22. An information filtering method according to claim 21 in which the step of calculating each (i,j) element of the affirmative metric signal includes

determining each (i,j) element of the affirmative metric signal by quantitatively estimating a difference between a probability that one piece of learning information is judged to be necessary and a probability that one piece of learning information to which an i-th keyword and a j-th keyword stored in a dictionary storing unit are attached together is judged to be necessary, and

20 the step of calculating each (i,j) element of the negative metric signal includes

determining each (i,j) element of the negative metric signal by quantitatively estimating a difference between a probability that one piece of learning information is judged to be unnecessary and a probability that one piece of learning

information to which an i-th keyword and a j-th keyword stored in the dictionary storing unit are attached together is judged to be unnecessary.

- 5 23. An information filtering method according to claim 17 in which the step of performing a learning operation comprises the steps of:

generating a learning vector signal, which is composed of one or more codes corresponding to one or more keywords

- 10 attached to one piece of learning information, for each of the pieces of learning information;

calculating an affirmative metric signal indicating the records about the pieces of learning information judged to be necessary from the pieces of teaching data respectively

- 15 composed of one piece of learning information and one teaching signal indicating that the piece of learning information is necessary;

calculating a negative metric signal indicating the records about the pieces of learning information judged to be

- 20 unnecessary from the pieces of teaching data respectively composed of one piece of learning information and one teaching signal indicating that the piece of learning information is unnecessary;

- calculating a learning affirmative score signal from the
25 learning vector signal and the affirmative metric signal for

each of the pieces of learning information on condition that a value of each learning affirmative score signal becomes high as the number of keywords which are attached to one piece of learning information and agree with those attached to the

5 pieces of learning information judged to be necessary is increased;

calculating a learning negative score signal from the learning vector signal and the negative metric signal for each of the pieces of learning information on condition that a

10 value of each learning negative score signal becomes high as the number of keywords which are attached to one piece of learning information and agree with those attached to the pieces of learning information judged to be unnecessary is increased;

15 arranging a set of a value LSY of the learning affirmative score signal and a value LSN of the learning negative score signal at coordinates (LSN, LSY) of a two-dimensional co-ordinate system for each of the pieces of learning information; and

20 calculating a judging parameter indicating an inclination of a boundary line which separates one or more sets corresponding to one or more pieces of learning information judged to be necessary from one or more sets corresponding to one or more pieces of learning information judged to be

25 unnecessary, and

the step of filtering pieces of information data comprises the steps of:

generating a vector signal, which is composed of one or more codes corresponding to one or more keywords attached to
5 one piece of information data, for each of the pieces of information data;

calculating an affirmative score signal from the vector signal and the affirmative metric signal for each of the pieces of information data on condition that a value of each
10 affirmative score signal becomes high as the number of keywords which are attached to one piece of information data and agree with those attached to the pieces of learning information judged to be necessary is increased;

calculating a negative score signal from the vector signal
15 and the negative metric signal for each of the pieces of information data on condition that a value of each negative score signal becomes high as the number of keywords which are attached to one piece of information data and agree with those attached to the pieces of learning information judged to be
20 unnecessary is increased;

calculating a necessity degree of one piece of information data from the affirmative score signal, the negative score signal and the judging parameter; and

arranging the pieces of information data in order of
25 necessity according to the necessity degrees of the pieces of

information data.

24. An information filtering method according to claim 23, further comprising the step of:

5 controlling the output of the pieces of information data arranged in order of necessity to preferentially indicate one or more pieces of information data having a high necessary degree.

10 25. An information filtering method according to claim 17, further comprising the steps of:

preparing a plurality of code dictionary signals respectively composed of a character stream and a numeral;

preparing a plurality of adaptive code dictionary signals
15 respectively composed of a character stream, a numeral, an affirmative number indicating the number of affirmative judgements which each are performed when a piece of learning information used for the learning operation in the learning means is necessary on condition that the character stream is
20 attached to the piece of information data as a keyword and a negative number indicating the number of negative judgements which each are performed when a piece of learning information used for the learning operation in the learning means is unnecessary on condition that the character stream is attached
25 to the piece of information data as a keyword;

counting an affirmative response number indicating the number of affirmative responses which each are performed when a piece of learning information used for the learning operation is necessary;

- 5 counting a negative response number indicating the number of negative responses which each are performed when a piece of learning information used for the learning operation is unnecessary; and

- generating a keyword cost signal from the affirmative
10 number, the negative number, the affirmative response number and the negative response number for each of character streams;

 arranging the adaptive code dictionary signals in order of magnitude of the keyword cost signals; and

- 15 replacing the code dictionary signals with a plurality of sets of character streams and numerals included in the adaptive code dictionary signals in that order.

26. An information filtering method according to claim 25 in
20 which the step of generating a keyword cost signal comprises the steps of:

- determining the keyword cost signal for a character stream by quantitatively estimating a difference between a probability that a piece of learning information is necessary
25 and a probability that a piece of learning information to

which the character stream is attached as a keyword is
necessary and another difference between a probability that a
piece of learning information is unnecessary and a probability
that a piece of learning information to which the character
5 stream is attached as a keyword is unnecessary.

27. An information filtering method according to claim 25 in
which the step of generating a keyword cost signal comprises
the steps of:

10 determining the keyword cost signal for a character stream
on condition that a value of the keyword cost signal is
increased as a difference between a probability that a piece
of learning information is necessary and a probability that a
piece of learning information to which the character stream is
15 attached as a keyword is necessary is enlarged and another
difference between a probability that a piece of learning
information is unnecessary and a probability that a piece of
learning information to which the character stream is attached
as a keyword is unnecessary is enlarged.

20

28. An information filtering method according to claim 17 in
which one keyword which is attached to one piece of learning
information or one piece of information data is a
classification code.

25

29. An information filtering method according to claim 17,
further comprising the steps of:

preparing an original data base in which pieces of data are
registered; and

5 reading out the pieces of data from the original data base,
and

the step of filtering pieces of information data includes

reconstructing the pieces of data in order of necessity to
form pieces of adaptive data; and

10 registering the pieces of adaptive data in an adaptive data
base.

30. An information filtering apparatus according to claim 25,
further comprising the steps of:

15 calculating a one-order metric signal from each of the
adaptive code dictionary signals;

calculating a necessary information occurrence ratio
denoting a ratio of the number of pieces of learning
information judged to be necessary to the number of all pieces
20 of learning information from the affirmative response number
and the negative response number for each of character
streams;

calculating an unnecessary information occurrence ratio
denoting a ratio of the number of pieces of learning
25 information judged to be unnecessary to the number of all

pieces of learning information from the affirmative response number and the negative response number for each of character streams;

calculating an affirmative keyword occurrence probability
5 denoting a probability that a character stream is attached to a piece of learning information judged to be necessary as a keyword for each of character streams from the one-order metric signal;

calculating a negative keyword occurrence probability
10 denoting a probability that a character stream is attached to a piece of learning information judged to be unnecessary as a keyword for each of character streams from the one-order metric signal;

calculating an affirmative deviation signal denoting a
15 difference between the necessary information occurrence ratio and the affirmative keyword occurrence probability for each of character streams;

calculating a negative deviation signal denoting a
difference between the unnecessary information occurrence
20 ratio and the negative keyword occurrence probability for each of character streams;

calculating a keyword estimating signal from the affirmative deviation signal and the negative deviation signal for each of character streams;

25 sorting the keyword estimating signals to produce a

plurality of sorted keyword estimating signals;

determining a character stream corresponding to each of the sorted keyword estimating signals as a keyword defined in a term of a keyword retrieval equation; and

5 outputting the keyword retrieval equation composed of a plurality of keywords.

31. An information filtering method according to claim 30 in which the step of calculating a one-order metric signal

10 comprising the steps of:

calculating a one-order affirmative metric signal from one affirmative number or numeral of each of the adaptive code dictionary signals; and

calculating a one-order negative metric signal from one
15 negative number or numeral of each of the adaptive code dictionary signals, the affirmative keyword occurrence probability and the negative keyword occurrence probability being respectively calculated from the one-order affirmative metric signal and the one-order negative metric signal.

20

32. An information filtering method according to claim 30 in which the affirmative deviation signal for a character stream becomes a negative low value as the character stream is one-sidedly attached to pieces of learning information judged to
25 be necessary, and the negative deviation signal for a

character stream becomes a negative low value as the character stream is one-sidedly attached to pieces of learning information judged to be unnecessary.